


## UHPLC Analysis of Peptides on BIOshell™ A160 Peptide C18, CN, and Phenyl-Hexyl, 2.7 µm



## **Conditions:**

**column:** BIOshell™ A160 Peptide CN, 15 cm x 2.1 mm I.D., 2.7 μm;

BIOshell  $^{\text{\tiny TM}}$  A160 Peptide C18, 15 cm x 2.1 mm I.D., 2.7  $\mu m;$ 

BIOshell™ A160 Peptide Phenyl-Hexyl, 15 cm x 2.1 mm I.D., 2.7 µm

mobile phase: [A] Water (0.1% v/v formic acid, 10 mM ammonium formate)

[B] 50:50 Water (0.1% v/v formic acid, 10 mM ammonium formate, pH 3.45): n-Propanol

gradient: 10% B to 60% B in 15 min.

flow rate: 0.4 mL/min

column temp.: 60 °C

detector: UV, 220 nm

injection: 2 μL

sample: Peptides, varied concentration, water (0.1% v/v trifluoroacetic acid)

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the U.S. and Canada.



Supelco® Analytical Products

Tyr-Tyr-Tyr Angiotensin II

Angiotensin 1-12

Melittin

Sauvagine β-Endorphin

3

4

5



## **Description:**

Three BIOshell™ A160 Peptide columns are compared in this application, the Peptide C18, CN, and Phenyl-Hexyl. It is often helpful to experiment with different bonded phases to optimize results, as shown here. For this particular peptide mix, the Phenyl-Hexyl provides the best resolution, avoiding the coelution seen on the CN and the decreased resolution between peaks 5 and 6 on the Peptide C18.

## **Materials:**

Product Part Number	Description
66969-U	BIOshell™ A160 Peptide CN, 15 cm x 2.1 mm I.D., 2.7 μm
66905-U	BIOshell™ A160 Peptide C18, 15 cm x 2.1 mm I.D., 2.7 μm
577528-U	BIOshell™ A160 Peptide Phenyl-Hexyl, 15 cm x 2.1 mm I.D., 2.7 μm
T2007	Tyr-Tyr
A9525	Angiotensin II (human)
M2272	Melittin from honey bee venom
S3884	Sauvagine
E6261	ß-Endorphin (human)
270733	Water
5.33002	Formic Acid
70221	Ammonium Formate
34871	N-propanol
302031	Trifluoroacetic acid