



3050 Spruce Street  
Saint Louis, Missouri 63103 USA  
Telephone 800-521-8956 • (314) 771-5765  
Fax 800-325-5052 • (314) 771-5757  
sigma-aldrich.com

## Product Information

### ANTI-MOUSE IgG3 (HEAVY CHAIN SPECIFIC)

Developed in Goat

Affinity Isolated Antigen Specific Antibody

Product Number **M 8270**

#### Product Description

Anti-Mouse IgG3 (Heavy Chain Specific) is developed in goat using purified mouse IgG3 (myeloma protein) as the immunogen. Affinity isolated antigen specific antibody is obtained from goat anti-mouse IgG3 antiserum by immunospecific purification which removes essentially all goat serum proteins, including immunoglobulins, which do not specifically bind to heavy chain of mouse IgG3.

Specificity for the heavy-chain of mouse IgG3 is determined by Ouchterlony Double Diffusion (ODD). The antibody preparation is specific for mouse IgG3 when tested against purified mouse IgA, IgG1, IgG2a, IgG2b, IgG3, and IgM, myeloma proteins.

Identity and purity of the antibody is established by immunoelectrophoresis (IEP). Electrophoresis of the antibody preparation followed by diffusion against anti-goat IgG and anti-goat whole serum result in single arcs of precipitation.

#### Reagents

The purified antibody is lyophilized from 0.01 M sodium phosphate, 0.015 M sodium chloride, pH 7.2, to which no preservatives have been added.

#### Reconstitution

When reconstituted with 1 ml of 0.135 M sodium chloride, each vial will yield a solution in phosphate buffered saline, pH 7.2.

#### Storage/Stability

Prior to reconstitution, store at 2-8 °C. After reconstitution, the solution may be frozen in working aliquots. Repeated freezing the thawing is not recommended.

#### Product Profile

The protein content is determined after reconstitution with 0.135 M sodium chloride, by absorbance at 280nm using  $E_{280}^{1\%} = 14.0$ .

One milligram of affinity isolated antibody will react with 0.5-5.0 mg of mouse IgG3 as determined by single radial immunodiffusion (Becker).<sup>1</sup>

#### References

1. Becker, W., *Immunochemistry*, **6**, 539 (1969).

JWM/KMR 08/02

Sigma brand products are sold through Sigma-Aldrich, Inc.

Sigma-Aldrich, Inc. warrants that its products conform to the information contained in this and other Sigma-Aldrich publications. Purchaser must determine the suitability of the product(s) for their particular use. Additional terms and conditions may apply. Please see reverse side of the invoice or packing slip.