



3050 Spruce Street
Saint Louis, Missouri 63103 USA
Telephone 800-325-5832 • (314) 771-5765
Fax (314) 286-7828
email: techserv@sia.com
sigma-aldrich.com

Product Information

MONOCLONAL ANTI-TROPONIN T

Clone JLT-12

Mouse Ascites Fluid

Product No. **T 6277**

Product Description

Monoclonal Anti-Troponin T (mouse IgG1 isotype) is derived from the hybridoma produced by the fusion of mouse myeloma cells and splenocytes from an immunized mouse. Purified Troponin T from rabbit skeletal muscle was used as the immunogen. The isotype is determined using Sigma ImmunoType™ Kit (Product Code No. ISO-1) and by a double diffusion immunoassay using Mouse Monoclonal Antibody Isotyping Reagents (Product Code ISO-2).

Monoclonal Anti-Troponin T is immunospecific for Troponin T in total rabbit skeletal muscle extract as determined by an immunoblot assay. The product reacts best with alcohol-fixed, paraffin-embedded or frozen sections of rabbit skeletal muscle, however, it shows broad species cross-reactivity in immunofluorescent labeling methods.

Troponin T is a microfilament protein closely associated with actin and its microfilament accessory proteins that appear in skeletal muscle myofibrils. Troponin T has a polypeptide molecular weight of approximately 38 kDa. Troponin T and tropomyosin from skeletal muscle run close to each other in 12.5% SDS polyacrylamide gels.

Monoclonal Anti-Troponin T may be used in immunofluorescent assays to study skeletal muscle organization. It can also be used to study the membrane anchorage sites of actin.

Product Profile

The minimum working dilution of 1:200 was determined by immunoblotting using a total rabbit skeletal muscle extract.

In order to obtain best results, it is recommended that each individual user determine the optimum working dilution for their system by titration assay.

Reagents

The product is provided as ascites fluid with 15 mM sodium azide as a preservative.

Precautions and Disclaimer

Due to the sodium azide content a material safety data sheet (MSDS) for this product has been sent to the attention of the safety officer of your institution. Consult the MSDS for information regarding hazards and safe handling practices.

Storage

For continuous use, store at 2-8 °C for up to one month. For extended storage, solution may be frozen in working aliquots. Repeated freezing and thawing is not recommended. If slight turbidity occurs upon prolonged storage, clarify by centrifugation before use.

PCS/KMR 03/02

Sigma brand products are sold through Sigma-Aldrich, Inc.
Sigma-Aldrich, Inc. warrants that its products conform to the information contained in this and other Sigma-Aldrich publications.
Purchaser must determine the suitability of the product(s) for their particular use. Additional terms and conditions may apply.
Please see reverse side of the invoice or packing slip.