

## **ProductInformation**

## SIGMA QUALITY CONTROL TEST PROCEDURE

## **Enzymatic Assay of MYELOPEROXIDASE** (EC 1.11.1.7)

## PRINCIPLE:

2 Guaiacol + H<sub>2</sub>O<sub>2</sub> Myeloperoxidase > 2 Oxidized Guaiacol + 2 H<sub>2</sub>O

**CONDITIONS:** T = 25°C, pH = 7.0,  $A_{470nm}$ , Light path = 1 cm

METHOD: Continuous Spectrophotometric Rate Determination

### **REAGENTS:**

- 50 mM Potassium Phosphate Buffer with 100 mM Guaiacol and 0.0017% (w/w) Hydrogen Α. Peroxide, pH 7.0 at 25°C (Prepare 100 ml in deionized water using Potassium Phosphate, Monobasic, Anhydrous, Sigma Prod. No. P-5379, Guaiacol, Sigma Prod. No. G-5502, and Hydrogen Peroxide, 30% (w/w) Solution, Sigma Prod. No. H-1009. Adjust to pH 7.0 at 25°C with 1 M KOH.)
- B. Myeloperoxidase Enzyme Solution (Immediately before use, prepare a solution containing 10 units/ml of Myeloperoxidase in cold deionized water.)

## PROCEDURE:

Pipette (in milliliters) the following reagents into suitable cuvettes:

	<u>rest</u>	Blank	
Reagent A (Buffer)	3.00	3.00	

Equilibrate to 25°C. Monitor the A<sub>470nm</sub> until constant, using a suitably thermostatted spectrophotometer. Then add:

Deionized water		0.035
Reagent B (Enzyme)	0.035	

Immediately mix by inversion. At exactly one minute record the  $\Delta A_{470nm}$  for both the Test and Blank.

M6908 SPGUAI01 Revised: 01/13/95

# Enzymatic Assay of MYELOPEROXIDASE (EC 1.11.1.7)

## CALCULATIONS<sup>2</sup>:

$$\label{eq:Units/ml} \text{Units/ml enzyme} = \frac{(A_{470\text{nm}} \text{ Test at 1 min - A}_{470\text{nm}} \text{ Blank at 1 min})(df)}{(1.0) \ (0.035)}$$
 
$$df = \text{Dilution factor}$$
 
$$1.0 = \text{The increase in A}_{470\text{nm}}/\text{minute per unit of enzyme (Unit Definition)}$$
 
$$0.035 = \text{Volume (in milliliter) of enzyme used}$$
 
$$\text{Units/mg protein} = \frac{\text{units/ml enzyme}}{\text{mg protein/ml enzyme}}$$

## **UNIT DEFINITION:**

One unit will produce an increase in absorbance ( $\Delta A_{470nm}$ ) of 1.0 per minute at pH 7.0 and 25°C, calculated from the initial rate of reaction using guaiacol as substrate. Total reaction volume: 3.035 ml.

#### FINAL ASSAY CONCENTRATIONS:

In a 3.035 ml reaction mix, the final concentrations are 49 mM potassium phosphate, 99 mM quaiacol, 0.0017% (w/w) hydrogen peroxide, and 0.35 unit myeloperoxidase.

### **REFERENCES:**

Desser, R.K., Himmelhoch, S.R., Evans, W.H., Januska, M., Mage, M., and Shelton, E. (1972) *Arch. Biochem. Biophys.*, **148**, 452-465

## NOTES:

- 1. Guaiacol will require approximately 30 minutes of stirring for dissolution. The (w/w) concentration of the Hydrogen Peroxide is calculated by diluting the Hydrogen Peroxide, 30% (w/w) Solution, Sigma Prod. No. H-1009.
- 2. The calculations are based on a final reaction mix volume of 3.035 ml. If the final volume of the reaction mix is not 3.035 ml, a correction factor must be used to determine the correct activity.
- 3. This assay is based on the cited reference.
- Where Sigma Product or Stock numbers are specified, equivalent reagents may be substituted.

Sigma warrants that the above procedure information is currently utilized at Sigma and that Sigma products conform to the information in Sigma publications. Purchaser must determine the suitability of the information and products for its particular use. Upon purchase of Sigma

M6908 SPGUAI01 Revised: 01/13/95 Page 2 of 3

products, see reverse side of invoice or packing slip for additional terms and conditions of sale.