

GOAT ANTI-MOUSE IgM μ CHAIN SPECIFIC HRP CONJUGATED, SPECIES ADSORBED (HUMAN) POLYCLONAL ANTIBODY

CATALOG NUMBER: AP500P 1.0 mL QUANTITY:

LOT NUMBER:

EPITOPE: IgM μ chain HOST/ISOTYPE: Goat

BACKGROUND: IgM constitutes about 10% of serum immunoglobulins. IgM antibody is prominent in early

> immune responses to most antigens and predominates in certain antibody responses such as 'natural' blood group antibodies. IgM (with IgD) is the major immunoglobulin expressed on the surface of B cells. The gene for the mu constant region contains four domains

separated by short intervening sequences.

The antibody reacts with the heavy chain of mouse IgM as demonstrated by ELISA and SPECIFICITY:

flow cytometry. Minimal cross reactivity with human immunoglobulins.

ELISA: 1:4,000-1:8,000. **APPLICATIONS:**

Optimal working dilutions must be determined by the end user.

SPECIES REACTIVITY: Reacts with heavy chain of mouse IgM. Absorbed for mouse IgG1, IgG2a, IgG2b, IgG3

and IgA, pooled human sera and purified human paraproteins. Minimal cross reactivity with

human immunoglobulins. Reactivity with other species has not been determined.

IMMUNOGEN: Prepared from purified mouse IgM μ chain. Pooled antisera from goats hyperimmunized with

mouse IgM paraproteins.

Purified by affinity chromatography on mouse IgM covalently linked to agarose. Liquid in PRESENTATION:

50% glycerol/50% PBS, pH 7.4.

Maintain refrigerated at 2°-8°C under sterile conditions for up to twelve months from date of STORAGE/HANDLING:

receipt. For long term storage, aliquot and store at -20°C. Avoid repeated freeze/thaw

cvcles.

During shipment, small volumes of product will occasionally become entrapped in the seal of the product vial. For Important Note:

products with volumes of 200 uL or less, we recommend gently tapping the vial on a hard surface or briefly

centrifuging the vial in a tabletop centrifuge to dislodge any liquid in the container's cap.

FOR RESEARCH USE ONLY: NOT FOR USE IN DIAGNOSTIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION

Unless otherwise stated in our catalog or other company documentation accompanying the product(s), our products are intended for research use only and are not to be used for any other purpose, which includes but is not limited to, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses or any type of consumption or application to humans or

©2007 - 2011: Millipore Corporation. All rights reserved. No part of these works may be reproduced in any form without permission in writing.