


3050 Spruce Street, St. Louis, MO 63103 USA
Tel: (800) 521-8956 (314) 771-5765 Fax: (800) 325-5052 (314) 771-5757
email: techservice@sial.com sigma-aldrich.com

## **Product Information**

# 00289 Anti-Rabbit IgG-Abberior® STAR 512 antibody produced in goat



### **Key Features**

- Superior photostability
- Ideal for STED and well suited for confocal microscopy
- High water solubility

### **Description**

**Abberior STAR 512** is a high-performance fluorescent dye which can be convenietly excited with an argon ion laser at 488 nm or 514 nm. For STED, a depletion wavelength around 600 nm is recommended. The dye can serve as a substitute for dyes such as Alexa Fluor® 514 or ATTO® 514.

Abberior STAR 512 is highly photostable and bright. It dissolves well in water or aqueous buffers which eliminates unspecific binding and decreases undesired background fluorescence

### Chemical Data: Abberior® STAR 512


Solubility:	water, acetonitrile, methanol, DMSO, DMF
Polarity:	hydrophilic
Charge:	0 (when conjugated)
Purity:	> 90 %

Photophysical Data: Abberior® STAR 512

Absorption Maximum, $\lambda_{max}, \ nm:$	511 (PBS, pH 7.4) 512 (water) 517 (MeOH)
Fluorescence Maximum, $\lambda_{\text{fl}},\text{nm}$	530 (PBS, pH 7.4) 533 (MeOH)
Extinction Coefficient, $\epsilon$ , M <sup>-1</sup> cm <sup>-1</sup> :	84 000 (PBS, pH 7.4) 92 000 (water) 94 500 (MeOH)
Correction Factor, $CF_{260} = \epsilon_{260}/\epsilon_{max}$ :	0.24 (PBS, pH 7.4, water) 0.32 (MeOH)
Correction Factor, $CF_{280} = \epsilon_{280}/\epsilon_{max}$ :	0.07 (PBS, pH 7.4, water) 0.08 (MeOH)
Recommended STED Wavelength, $\lambda_{STED}$ , nm:	590 - 620
Fluorescence Quantum Yield, η:	0.82 (PBS, pH 7.4)
Fluorescence Lifetime, T:	4.1 ns (PBS, pH 7.4)

### **Applications**

The spectroscopic properties and some application fields of Abberior STAR 512 have been reported for **STED** imaging and **FCS** experiments. Furthermore, Abberior STAR 512 serves well as a "donor" in a "donor – acceptor" dye pair used in **FRET** experiments.



Comparison of a STED (left) and the corresponding confocal (right) microscopy image obtained with an Abberior STAR 512 labelling.

#### Literature

- G. Y. Mitronova et al. "New Fluorinated Rhodamines for Optical Microscopy and Nanoscopy" Chem. Eur. J., 16, 4477-4488 (2010)
- 2. Leica SR GSD 3D Supported dyes
- L. Westin et al. "Nanoscopic spine localization of Norbin, an mGluR5 accessory protein" BMC Neuroscience, 15, 45 (2014)

#### **Precautions and Disclaimer**

This product is for R&D use only, not for drug, household, or other uses. Please consult the Material Safety Data Sheet for information regarding hazards and safe handling practices.